

## SECTION 12 61 00 - FIXED AUDIENCE SEATING

### PART 1 - GENERAL (Not Applicable)

### PART 2 - PRODUCTS

#### 2.1 MANUFACTURERS

- A. Manufacturers: Subject to compliance with requirements, provide products from one of the followings:
  1. Hussey Seating Company.
  2. Irwin Seating Company.
  3. KI, Inc.
  4. Seating Concepts, LLC.

#### 2.2 MATERIALS

- A. Fabric: 100 percent nylon or wool with flame-retardant treatment.

#### 2.3 FIXED AUDIENCE SEATING

- A. Fixed Audience Seating: At a minimum, provide seating that complies with the following. Upgraded finishes are acceptable as reviewed and approved on a project specific basis by the University Project Manager.
- B. Chair Mounting: Provide the following as appropriate to installation.
  1. Standards: Floor or riser attached; steel or cast iron standards.
  2. Beam: Mounted on floor or riser-attached pedestals.
  3. Pedestal: Floor-attached.
  4. End Panels.
- C. Fabric Upholstered Chairs:
  1. Backs: Padded.
    - a. Rear Panel: Molded plastic.
  2. Seats: Two part.
    - a. Seat Bottom: Steel sheet seat pan.
- D. Back Height: Standard style.
- E. Back Pitch: Fixed.
- F. Chair Seat Hinges: Self-rising, spring actuated.
- G. Armrests: Plastic.
- H. Power and Data Service Package: Power receptacles and data ports to each seat location.
- I. Tablet Arms: Standard-size, foldaway tablet arm with plastic-laminate writing surface.
- J. Accessible Seating: Provide.

#### 2.4 LECTURE-HALL TABLES

- A. Supports: Attached to floor.

- B. Table Top: Plastic laminate on medium-density fiberboard.
- C. Modesty Panels: Partial-height panels.
- D. Power and Data Service Package: Power receptacles and data ports in table top at each seat location.

PART 3 - EXECUTION (Not Applicable)

**END OF SECTION 12 61 00**