G

University of Colorado

Denver | Anschutz Medical Campus

FIRE & LIFE SAFETY

1945 N. Wheeling St. (Campus Box F-410) Aurora, Colorado 80045 303 724-3596

Fire Alarm Reports June 2023

Anschutz Medical Campus

Day / Date / Time	Location	Disposition
Tues. 6/6 @ 13:29	AHSB/P12	3 rd Floor Beam Sensor, FA, NO FD
Thur. 6/15 @ 10:13	RC1N/P18	5400A Smoke, Facilities Cleaning, FA, NO FD
Tues. 6/27 @ 13:53	RC1N/P18	RM 0445 & OC05A Smoke, Steam from Autoclave, FA

Denver Campus (LS Center, School of Business Building, and CU Building /Annex)

Day / Date / Time

Sun. 6/4 @ 06:45 Sun. 6/4 @ 09:40 Thur. 6/8 @ 09:43 Fri. 6/9 @ 06:30 Location Lynx Xing/RH-2 Lynx Xing/RH-2 Lynx Xing/RH-2 Lynx Xing/RH-2

Disposition

Malfunctioning Smoke, FA Malfunctioning Smoke, FA Malfunctioning Smoke, FA Malfunctioning Smoke, FA Detector changed

TOTAL ALARMS FOR MONTH

An alarm followed by "FA" signifies a FALSE ALARM. An alarm followed by "NO FD" signifies no fire department response. Not initiating a response or cancellation of fire responders (after they have been called to respond) has been accepted, in writing, by the Aurora Fire Department. Our approved policy has specific guidelines that are to be followed prior to cancellation, and it is put into effect only when Facilities Management staff or University Police personnel arrive quickly and determine that the alarm is not an actual fire and that no hazard exists.

Year-to-date

Anschutz Medical Campus:	17
Denver Campus:	8
ALARMS TOTAL:	25
*FIRES WITH PROPERTY LOSS: (University loss above \$100.00)	0
FIRE-RELATED INJURIES:	0

This document only applies to buildings <u>owned and operated</u> by the University of Colorado Denver. Please note that University of Colorado Hospital is a separately governed, non-profit entity, and the Auraria campus is managed and maintained by the Auraria Higher Education Center (AHEC). We have no information regarding fire alarms or fire-related incidents in non-CU owned locations or for any leased property.